

**4931 N Manufacturing Way, Coeur d'Alene, ID 83815**

**21st@wheelchairs.com  
www.wheelchairs.com**

**FAX, PHONE IN OR MAIL COMPLETED FORM TO 21<sup>st</sup> Century SCIENTIFIC Inc.**

**This is an order! Our PO No:** \_\_\_\_\_  **This is a Quotation Request Only**

<b>Ship To:</b>	<b>Bill To:</b>
Company: _____	Company: _____
Address: _____	Address: _____
City: _____ State: _____ Zip: _____	City: _____ State: _____ Zip: _____
Attention: _____	Attention: _____
Phone: _____ FAX: _____	Phone: _____ FAX: _____

**BOUNDER *Plus***  
**POWER & MANUAL GURNEYS (PRONE CARTS)**

**User Data:**

Name: \_\_\_\_\_ Ht: \_\_\_\_\_' \_\_\_\_\_" Wt: \_\_\_\_\_ lb. D.O.B.: \_\_\_\_\_ Disability: \_\_\_\_\_

**Driving Skills:** good fair poor      **Eye-To-Hand Coordination:** good fair poor

**Judgment:** good fair poor      **Equipment Usage:** light typical heavy abusive

**Aggressiveness:** timid typical hot rodder      **Must Operate:** on thick carpets in rain and/or snow on steep hills

**Previous Gurney Make & Model:** \_\_\_\_\_

**Other Information:** \_\_\_\_\_

**New Gurney Data:**

**Mattress Pan Width:** \_\_\_\_\_"      **Mattress Pan Length:** \_\_\_\_\_"      **Mattress Pan Height.:** \_\_\_\_\_"

**Max Overall Width.:** \_\_\_\_\_"      **Max Overall Length.:** \_\_\_\_\_"

**Desired Top Speed Of New Gurney (1-10.7 MPH)** \_\_\_\_\_ **Mattress Positioning Needed?** No Elevate Tilt Other

**Drive Belt Type:** V-belts Panther      **OK for factory to select best drive train based on data above?** Yes No

**Other Notes:** \_\_\_\_\_

**INSTRUCTIONS FOR FILLING OUT THIS FORM:**  
Thank you for choosing 21<sup>st</sup> Century SCIENTIFIC, Inc. Since our products tend to be custom, this order/quote form is very detailed. As you complete this form, you will be specifying each parameter of the equipment to be ordered. Accordingly, be patient and review each section carefully. No charge and standard items are usually located near the top of each section, but not always. Check the standard items as well as the custom options in each section to make sure you have not missed anything. You may FAX this form to 21<sup>st</sup> at (208) 667-6600 for review. A detailed written quote will be faxed back to you. If you need assistance filling out this form (or simply prefer us to do it for you), contact our sales department at (800) 448-3680. There is no charge for our assistance and written quotations.

HCPCS codes are not intended to be, nor should they be considered, legal or billing advice. Use of the codes does not ensure coverage or payment for the item. Always verify coverage information with the pay source, attorney or other consultant as needed.

**This Form Was Completed By:** \_\_\_\_\_ **Date:** \_\_\_\_\_ **Phone:** \_\_\_\_\_ **FAX:** \_\_\_\_\_

# BOUNDER Plus POWER & MANUAL GURNEYS

## STANDARD FEATURES – MANUAL & POWER

- Mattress pan width – 20", 22" or 24" wide standard; 14" to 36" wide available  
 Mattress pan length – 72" is standard; 40" to 96" long available  
 Mattress pan height – 24" is standard; 18" to 36" high available
  - Options to increase user weight up to 700 or 1000 lbs
- Conventional tube frame styling •Reinforced side and end rail mounts
  - All steel TIG welded box frame construction for superior strength
    - Xtra duty caster barrels with 1" bearing ID's
      - 12 position adjustable suspension forks
    - 8"x2" caster wheels •Black powder coated frame
  - Detailed Owner's Manual •Easy to service and maintain

## STANDARD FEATURES – POWER GURNEYS

- Fast! – Top speeds up to 11.6 MPH (18.7 khp)
- Stable rear wheel drive; doesn't fishtail at high speeds
  - Super Torque 3 Motors & Brakes (ST3M&B)
- Sliding dual group 27 battery box with safety reflectors •Up to 35 mile range
  - UE1GT premium electronics (6 programs)
- Battery condition meter •Smart brake release switch (for easy attendant pushing)
- 16"x2.125" or 20"x2.125" "Mag style" aluminum rear wheels with safety reflectors
- Quick adjust clutches (combination belt tensioner and belt release mechanism)
- Fully automatic 8A Dual Mode charger (charges Gel-Cell and lead acid batteries)

## WARRANTY\*

- 2 YEAR warranty on entire BOUNDER Plus gurney
- 5 YEAR warranty on Super Torque 3 & 4 Motor & Brake drive trains\*\*
- 5 YEAR frame warranty •2 and 3 year extended warranties on entire gurney

## POPULAR OPTIONS – POWER GURNEYS

- UE1GT PSM (ECU & through-the-joystick proportional control of power seating)
- Non-slip Panther synchronous drive belt system •Programmer for electronics
  - Attendant controls •Automatic 12A dual mode charger
    - H-Frame with Panther Drive
  - Hand control customizations & mounting options (many to choose from)
    - Lighting package (it's 24V and bright!) •Electric horn (it's LOUD)
  - Electric leg bag emptier (for unattended leg bag draining) •Positioning straps
    - Wheel locks (with or without wheel lock extensions)

## STANDARD FEATURES – MANUAL GURNEYS

- Front wheel drive – for easy self-propelling by user •Super Duty wheel locks
  - 24"x1.75" front drive wheels with handrims – pneumatic tires and tubes

## POPULAR OPTIONS – MANUAL & POWER GURNEYS

- Gurney power tilt system – whole mattress •Power or manual chest & head tilt system
  - Gurney power elevate system (up to 20" of elevation)
- Frame reinforcements •Custom mattress width, length, height, thickness, etc.
- For manual gurneys only: 24"x2.125" or 26"x2.125" drive wheels w/ handrims
  - 9"x3.50" metal caster wheels •Side & end rails •Drink holder
- Colored (non-black) frame & upholstery •Sliding drawer at front of gurney
- Storage tray – approximately under chest of user •Roller bumper wheels
  - Plus many more options too numerous to list!**

\* Limited warranties – some restrictions apply. See complete warranty for more information

\*\* Includes motors, brakes, drive wheels, drive wheel pulleys/sprockets (drive belts, tires, inner tubes, flat-free inserts, motor pulleys/sprockets and bearings not included)

## TOP SPEED CHART

SPEEDS ARE IN MILES PER HOUR (MPH) AND ARE APPROXIMATE. ACTUAL SPEEDS CAN VARY BY AS MUCH AS ± 10%.

CODES NOT LISTED ARE EITHER CUSTOM, NOT AVAILABLE OR NOT POSSIBLE.

### SUPER TORQUE 3 MOTORS

CONVENTIONAL FRAME								H-FRAME			
20"x2.125" DRIVE WHEELS		16"x2.125" DRIVE WHEELS		20"x2.125" DRIVE WHEELS		16"x2.125" DRIVE WHEELS		12.75"x4.00" DRIVE WHEELS		12.75"x4.00" DRIVE WHEELS	
CODE	TOP SPEED	CODE	TOP SPEED	CODE	TOP SPEED	CODE	TOP SPEED	CODE	TOP SPEED	CODE	TOP SPEED
V-BELT DRIVES				PANTHER DRIVE				PANTHER DRIVE		CHAIN DRIVE	
320 V140 V32	10.5	316 V110 V32	10.7	320 P144 P28	10.5	316 P112 P28	10.2	313 P080 P28	11.6	313 C060 C23	11.7
320 V140 V30	9.8	316 V110 V30	10.0	320 P144 P26	9.8	316 P112 P26	9.5	313 P080 P26	10.8	313 C070 C25	10.9
320 V140 V28	9.2	316 V120 V30	9.2	320 P144 P24	9.0	316 P112 P24	8.7	313 P080 P24	10.0	313 C070 C23	10.0
320 V140 V25	8.2	316 V120 V28	8.5	320 P144 P22	8.3	316 P112 P22	8.0	313 P080 P22	9.1	313 C070 C21	9.2
320 V140 V22	7.2	316 V120 V25	7.6								
		316 V120 V22	6.7								

### SUPER TORQUE 4M MOTORS (H-FRAME ONLY)

12.75"x4.00" DRIVE WHEELS		14"x5.40" DRIVE WHEELS		12.75"x4.00" DRIVE WHEELS		14"x5.40" DRIVE WHEELS	
CODE	TOP SPEED	CODE	TOP SPEED	CODE	TOP SPEED	TOP SPEED	TOP SPEED
← PANTHER DRIVES →				← CHAIN DRIVES →			
413 P080 P28	6.0	414 P080 P28	6.9	413 C060 C25	6.7	414 C060 C25	7.6
413 P080 P26	5.6	414 P080 P26	6.4	413 C070 C25	5.7	414 C070 C25	6.5
413 P080 P24	5.1	414 P080 P24	5.9	413 C070 C23	5.3	414 C070 C23	6.0
413 P080 P22	4.7	414 P080 P22	5.4	413 C070 C21	4.8	414 C070 C21	5.5

### DRIVE TRAIN CONFIGURATION NOTES:

- 1) Generally, configurations with higher top speeds tend to have reduced hill climbing capability (less torque) and reduced range.
- 2) Do not order drive train configurations with top speeds that exceed the physical or mental capabilities of the driver. Fast gurneys are usually not appropriate for children.
- 3) If the drive wheel pulley/sprocket size is increased, speed decreases and hill climbing capability increases.
- 4) If the motor pulley/sprocket size is increased, speed increases, belt life increases, chance of belt slippage in rain decreases, and hill climbing capability decreases.
- 5) If a particular configuration in the chart above is more than 2 MPH faster than the top speed you need, order a slower configuration. This will provide better hill climbing capability and greater range. Consider ST4M&B-M for more torque and less speed; excellent for very large patients or where a speed limit is enforced.
- 6) If the user needs more hill climbing capability or is experiencing poor battery life, the next size slower drive train configuration may help. Most dealers can change drive train configurations. Return of the gurney to the factory is seldom necessary.
- 7) If considerable operation in rain and/or snow is planned, alternatives to the standard V-belt drives should be considered. V-belts can slip in rain and snow whereas chain drives and Panther drives do not slip. Panther drives are usually the best choice for operation in rain and snow.
- 8) V-belt drive trains are virtually silent as the motors and tires typically make more noise than the belts. The Panther drive systems are very quiet but can be heard over the motors, and a slight vibration can be felt.
- 9) Top speeds above 10 MPH are only recommended for users weighing less than 150 lbs. Select top speeds of 10.0 mph or less for users up to 200 lbs., 8.7 MPH or less for users between 200 and 300 lbs., and 8.0 MPH or less for users over 300 lbs.
- 10) Top speeds above are estimated. Depending on configuration, your gurney may be faster or slower. Specifically, foam filled tires reduce the chair speed by about 10%. Increased patient weight, power seating systems as well as poor battery condition also reduce the chair's top speed.

\\Sworck2009\drive d - data\data\Procedures\Price List\Price List Cover Sheets\2009 Pricelist Cover Sheets\PL15 GUR Cover.doc

# BOUNDER Plus POWER & MANUAL GURNEYS

**21st Century SCIENTIFIC, Inc. (800) 448-3680 (208) 667-8800 FAX (208) 667-6600**

**e-mail: 21st@wheelchairs.com www.wheelchairs.com**

IF \* SEE NOTE LISTED BY STOCK NUMBER ON LAST PAGES

Part Number	Stock Qty Number	Part Description	Suggested Retail Price
<b>BASIC MODELS</b>			
<b>BOUNDER Plus</b>			
* BPC PGUR W/ ELECT	___B024	BOUNDER Plus conventional tube frame power gurney w/ UE1GT electronics	\$12,645.00
* BPC MGUR	___B025	BOUNDER Plus conventional tube frame manual gurney. For users up to 500 lbs.	\$7,795.00
* BPH PGUR W/ ELECT	___B026	BOUNDER Plus H-Frame power gurney w/ UE1GT electronics	\$12,645.00

## CONSTRUCTION OPTIONS

### H-Frame Gurney Base Length

#### Power Frames

* PWR GURNEY RWD	___B204	Power gurney (rear wheel drive)	<b>Standard</b>
* POWER 700	___B207	Increase maximum user weight of power chair/gurney to 700 lbs	\$1,380.00
* POWER 1000	___B208	Increase maximum user weight of power chair/gurney to 1000 lbs	\$2,645.00

#### Manual Frames

* MAN GURNEY FWD	___B214	Manual gurney (front wheel drive)	<b>Standard</b>
* MANUAL 1000	___B217	Increase max user weight of conventional frame manual chair/gurney to 1000 lbs	\$2,300.00

### \* 21st POWER SEATING SYSTEMS

#### Gurney Mattress Positioning Systems

* GPTS	___B351	Gurney power tilt system	\$4,025.00
* GMCHTS	___B352	Gurney manual chest & head tilt sys	\$1,150.00
* GPCHTS	___B353	Gurney power chest & head tilt sys	\$1,955.00
* GPBHTS	___B354	Gurney power back & head tilt system	\$4,025.00
* GPES	___B356	Gurney power elevate system	\$4,600.00

### POWER SEATING OPTIONS, HEAVY DUTY UPGRADES & LOCKOUTS

24V ALWAYS ON	___B360	Supply PSA switch(s) w/ 24VDC always on battery cable	\$115.00
PS HD	___B361	Power seating sys heavy duty upgrade (250-400 lbs users) (each system) (K0108)	\$1,150.00
PS XHD	___B362	Pwr seating xtra heavy duty upgrade (users over 400 lbs, each system) (K0108)	\$2,300.00
* PTS LO	___B371	Power tilt system drive lockout	\$258.75
* PSE2 LO	___B373	Power seat elevator drive lockout	\$258.75
PSS JOYSWITCH	___B380	Joystick 4-way power seating system control (K0108)	\$1,725.00

### FRAME COLOR

BLACK	___B4001	Standard black powder coat	<b>Standard</b>
RED	___B4002	Red powder coat	\$115.00
BLUE	___B4003	Blue powder coat	\$115.00
DARK GREEN	___B4004	Dark green powder coat	\$115.00
YELLOW	___B4005	Yellow powder coat	\$115.00
LIGHT GRAY	___B4006	Light gray powder coat	\$115.00
WHITE	___B4007	White powder coat	\$115.00
TEAL	___B4008	Teal powder coat	\$115.00
LAVENDER	___B4009	Lavender powder coat	\$115.00
PINK	___B4010	Pink powder coat	\$115.00
* CUS PC	___B4021	Custom powder coat color	\$402.50
NON-BLACK DWHLs	___B4043	Paint drive whls same color as frame	\$115.00
NON-BLACK RAILS	___B4044	Paint gurney rails same color as frame	\$57.50

### FRAME REINFORCEMENTS

RDWM NC	___B4101N	Reinforced drive wheel mounts N/C	<b>Standard</b>
* TWTFM	___B4105	Thick 0.120" wall tubing	\$575.00

IF \* SEE NOTE LISTED BY STOCK NUMBER ON LAST PAGES

Part Number	Stock Qty Number	Part Description	Suggested Retail Price
* GUR PHANDS	___B4121	Gurney push handles	\$57.50
* OMIT RAIL MNTS	___B4122	Omit gurney rail mounts (specify which)	No Charge
<b>GURNEY MATTRESS PAN LENGTH (2" INCREMENTS)</b>			
STD GMP LENGTH	___B4741	Std 72" long gurney mattress pan	<b>Standard</b>
SGMP LENGTH	___B4742	Short 40"-70" gurney mattress pan: _____	\$345.00
LGMP LENGTH	___B4743	Long 74"-96" gurney mattress pan: _____	\$575.00
<b>GURNEY MATTRESS PAN WIDTH (1" INCREMENTS)</b>			
STD GMP WIDTH	___B4751	Gurney standard mattress pan width ___ 20" ___ 22" ___ 24"	<b>Standard</b>
CUS GMP WIDTH	___B4752	Custom (14"-36") gurney mattress pan width: _____	\$345.00
* GURNEY MWOW	___B4754	Mattress pan widened over drv whls	\$575.00
<b>GURNEY MATTRESS PAN HEIGHT (1" INCREMENTS)</b>			
STD GMP HEIGHT	___B4761	Std 24" high gurney mattress pan	<b>Standard</b>
* CUS GMP HEIGHT	___B4762	Custom (18"-36") gurney mattress pan height: _____	\$345.00
<b>GURNEY SIDE &amp; END RAILS</b>			
STD SIDE RAIL	___B5161	Std 44" long side rail, 11.5" high, each	\$86.25
* END RAIL	___B5162	Front or rear rail, each	\$57.50
CUS SIDE RAIL	___B5165	Custom length or height side rail, each length: _____ height: _____	\$172.50
CUS END RAIL	___B5166	Custom length or height end rail, each length: _____ height: _____	\$115.00
* RRT	___B5172	Reinforced rail tips, each rail	\$57.50
<b>GURNEY CUSHIONS</b>			
* STD GCUSHION	___B5381	Standard 2" thick foam gurney cushion	\$172.50
* CGCS	___B5383	Custom gurney cushion size (up charge)	\$172.50
* SCULPTURED GC	___B5385	Sculptured gurney cushion (up charge)	\$345.00
* GCHC	___B5387	Gurney cushions for chest & head tilt systems	\$345.00
* CUS GC FOAM	___B5389	Custom gurney cushion foam thickness	\$115.00
* SPEC GC FOAM	___B5391	Special gurney cushion foam (T-foam, Pudgee, Sunmate, etc.) (for each 1/2" of thickness)	\$230.00
<b>* UPHOLSTERY COLOR</b>			
STD BLACK NAUG	___B5401	Standard black Naugahyde upholstery	<b>Standard</b>
* BLACK SOFLEECE 3	___B5411	Soffleece 3 fabric upholstery (for use on cushions, solid seats & backs only)	\$115.00
* CUS GUR UPH	___B5421	Custom gurney upholstery color	\$575.00
<b>CONTROL BOXES &amp; REMOTE DISPLAY</b>			
STD RHC	___B6001	Right hand control	<b>Standard</b>
LHC	___B6002	Left hand control	No Charge
UE1GT DHC T	___B6005	UE1GT Driver Hand Control with toggle power, select & aux1 switches	<b>Standard</b>
* RD	___B6011	Remote Display separate from joystick & switches	\$517.50
* CB KEY LOCK	___B6012	Add key switch at front of hand control	\$172.50
HC SP	___B6013	Add speed pot to hand ctrl in place of AUX SW	\$345.00
UE1GT DCC BIB	___B6023T	UE1GT driver chin control, bib mounted (less mount & chin cup)	\$1,150.00
UE1GT DCC FRONT	___B6027T	UE1GT driver chin control with front facing switches (less mount and chin cup)	\$1,150.00
UE1GT ACDC	___B6029T	UE1GT attendant control/dual control	\$1,380.00
UE1GT ACDC AC ONLY	___B6031	UE1GT attendant control/dual control, attendant only (no driver control)	\$690.00
* CB JRP	___B6039	Joystick retention plate	\$230.00
* CUS CB	___B6041	Custom hand, foot, head or chin control	Call Factory

# BOUNDER Plus POWER & MANUAL GURNEYS

**21st Century SCIENTIFIC, Inc. (800) 448-3680 (208) 667-8800 FAX (208) 667-6600**

**e-mail: 21st@wheelchairs.com www.wheelchairs.com**

IF \* SEE NOTE LISTED BY STOCK NUMBER ON LAST PAGES

Part Number	Stock Qty Number	Part Description	Suggested Retail Price
<b>HAND &amp; CHIN CONTROL MOUNTS &amp; EXTENSIONS</b>			
* STD HC MOUNT	___ B6111	Standard hand control mount	<b>Standard</b>
STD HC EXT	___ B6112	Standard hand control extension slide	<b>Standard</b>
* SA EXT	___ B6115	Swingaway hand control extension slide (E1028)	\$345.00
* MIDLINE HC EXT	___ B6116	Midline hand control extension slide	\$402.50
* CC MOUNT	___ B6121	Chin control mount	\$460.00
* POWER CC MOUNT	___ B6122	Power chin control mount	\$1,380.00
* CC BIB MOUNT	___ B6131	Chin control bib mount	\$575.00
CUS CTRL MOUNT	___ B6171	Custom control mount	Call Factory
* CUS EXT SLIDE	___ B6172	Custom extension slide	Call Factory

## DRIVE MODULES

### UE1GT Premium 6-Program Wheelchair Electronics & Options

UE1GT DM24	___ B6291T	UE1GT 24 volt electronics w/ Smart Brake Release Switch	<b>Standard</b>
UE1GT PSM 1	___ B6293C	UE1GT variable speed power seating module, one actuator (E2310)	\$1,380.00
UE1GT PSM M	___ B6293D	UE1GT variable speed power seating module, multiple actuators (E2311)	\$2,760.00
UE1GT ESSS	___ B6296E	UE1GT emergency stop and select switch	\$143.75
UE1GT RPS	___ B6296P	UE1GT remote power switch	\$143.75
UE1GT AUX SW	___ B6298A	UE1GT auxiliary switch (specify function)	\$143.75
* UE1GT PS OVERRIDE	___ B6298C	UE1GT power seating system override switch (specify seating system)	\$517.50
UE1GT PRGMR	___ B6299	UE1GT plug-in programmer	\$575.00
* DX Programmable Electronics			call factory

ASL (Adaptive Switch Labs) Wheelchair Control Systems call factory

PG DRIVES Programmable Electronics call factory

## DRIVE MODULE MOUNTS

UNDER PAN MOUNT	___ B6705	Drive module mounted under gurney mattress pan	<b>Standard</b>
CUS DM MNT	___ B6711	Custom drive module mount	Call Factory

## RESPIRATOR & OXYGEN BOTTLE MOUNTS

* RESP SHELF	___ B6801	Fixed position respirator shelf	\$460.00
* RESP GIMBAL SHELF	___ B6803	Gimbal mounted respirator shelf	\$1,380.00
* RESP BBOX U1	___ B6811	Single U1 battery box mounted on shelf (specify location; for respirators)	\$460.00
RESP BAU1 GEL-CELL	___ B6812	Respirator U1 gel-cell battery	\$218.50
RESP BC12-6	___ B6813	Respirator 12.6V auto charger	\$287.50
SE O2 BOT HLD	___ B6901	Single E size oxygen bottle holder	\$632.50
DE O2 BOT HLD	___ B6902	Dual E size oxygen bottle holder	\$862.50
TE O2 BOT HLD	___ B6902T	Triple E size oxygen bottle holder	\$1,092.50

## MOTORS & BRAKES

* ST3M&B NC	___ B7003N	BOUNDER Plus & Big BOUNDER super torque 3 motors & brakes N/C	<b>Standard</b>
-------------	------------	---	-----------------

## DRIVE WHEEL OPTIONS

* DW 20M	___ B7051	20"x2.125" black metal drive wheels	<b>Standard</b>
* DW 16M	___ B7052	16"x2.125" black metal drive wheels	No Charge
* DW 13M SMOOTH	___ B7054	12.75"x4.00" metal drive wheels w/ smooth tires	<b>Standard</b>
* DW 13M KNOBBY	___ B7055	12.75"x4.00" metal drive wheels w/ knobby tires	No Charge
* DW 24PHR	___ B7062	24"x1.75" metal spoked drive wheels w/ handrims	No Charge
* DW 24PHRHD	___ B7063	24"x2.125" metal spoked drive wheels w/ handrims	\$402.50
DW 26PHR	___ B7064	26"x2.125" metal spoked drive wheels w/ handrims	\$575.00

## DRIVE WHEEL TIRE & TUBE OPTIONS

IF \* SEE NOTE LISTED BY STOCK NUMBER ON LAST PAGES

Part Number	Stock Qty Number	Part Description	Suggested Retail Price
STD DT&T	___ B7071	Thorn resist inner tubes & gray tires	<b>Standard</b>
DWI HD	___ B7073	High density airless drive wheel inserts	\$195.50
<b>* V-BELT DRIVES</b>			
* FSV	___ B7102	Factory select best V-belt drive	No Charge
* V32	___ B7111	3.20" OD motor V-pulleys	No Charge
* V30	___ B7112	3.00" OD motor V-pulleys	No Charge
* V28	___ B7113	2.80" OD motor V-pulleys	No Charge
* V25	___ B7114	2.50" OD motor V-pulleys	No Charge
* V22	___ B7115	2.20" OD motor V-pulleys	No Charge
* V20	___ B7116	2.00" OD motor V-pulleys	No Charge
* V110	___ B7133	11" drive wheel V-pulleys	No Charge
* V120	___ B7134	12" drive wheel V-pulleys	No Charge
V140	___ B7135	14" drive wheel V-pulleys	No Charge

\* CHAIN DRIVES (available on custom basis; contact factory for pricing)

### PANTHER DRIVES (Slower speeds can be programmed through the electronics)

* PANTHER DRIVE	___ B7351	Panther drive	\$1,380.00
HF PANTHER DRIVE	___ B7351N	H-frame Panther drive	No Charge
FSP	___ B7352	Factory to select best Panther drive	No Charge
P28	___ B7358	28 tooth motor Panther sprockets	No Charge
P26	___ B7359	26 tooth motor Panther sprockets	No Charge
P24	___ B7360	24 tooth motor Panther sprockets	No Charge
P22	___ B7361	22 tooth motor Panther sprockets	No Charge
* P112	___ B7373	112 tooth drive wheel Panther sprockets	No Charge
* P144	___ B7374	144 tooth drive wheel Panther sprockets	No Charge

## CASTER WHEEL & FORK OPTIONS

### Bounder Plus Conventional Tube Frames

CF XDCBF 8X2	___ B7412X	C-frame 8"x2" Xtra duty caster barrels, suspension forks & caster wheels	No Charge
CF XDCBF 9X3.50	___ B7413X	C-Frame 9"x3.50" Xtra duty caster barrels, suspension forks & metal caster wheels	\$402.50

### BOUNDER Plus H-Frames

XDCBF 9X3.50M	___ B7441X	9"x3.50" Xtra duty caster barrels, suspension forks & metal casters	<b>Standard</b>
XDCBF 8X2	___ B7442X	8"x2.00" Xtra duty caster barrels, suspension forks & casters	\$172.50

### Caster Tire & Tube Options

STD CT&T	___ B7481	Standard full pneumatic caster tubes & gray tires	<b>Standard</b>
FFCW HD	___ B7483	High density flat-free gray caster tires	\$172.50
FS COPPER	___ B7497C	Copper color fork springs	<b>Standard</b>
FS RED	___ B7497R	Red color fork springs, softer, for patients up to 250 lbs	No Charge

## BATTERY BOXES

STD BBOXD27	___ B7701	Standard dual group 27 sliding battery box	<b>Standard</b>
* BBOXD27 THIN	___ B7702	Thin dual group 27 sliding batt box	\$460.00
BBOXD27 SM	___ B7711	Dual group 27 sheet metal sliding battery box	\$345.00
* BBOXD24	___ B7713	Dual group 24 sliding battery box	\$230.00
* MPC BBOXDU1	___ B7731	Manual chair or gurney dual U1 battery box	\$575.00
CUS BBOX	___ B7751	Custom battery box	Call Factory

## BATTERIES

BA27 GEL-CELL	___ B7802	Pair, group 27 gel-cell batteries (E2371)	\$977.50
BA24 GEL-CELL	___ B7804	Pair, group 24 gel-cell batteries (E2363)	\$920.00
BAU1 GEL-CELL	___ B7807	Pair of U1 gel-cell batteries	\$437.00

# BOUNDER Plus POWER & MANUAL GURNEYS

**21st Century SCIENTIFIC, Inc. (800) 448-3680 (208) 667-8800 FAX (208) 667-6600**

**e-mail: 21st@wheelchairs.com www.wheelchairs.com**

IF \* SEE NOTE LISTED BY STOCK  
NUMBER ON LAST PAGES

Part Number	Stock Qty Number	Part Description	Suggested Retail Price
<b>* BATTERY CHARGERS</b>			
STD BCDM8	___ B7903	Dual mode 8A Lester auto charger	<b>Standard</b>
* MC BCDM8	___ B7903M	Dual mode 24V 8A auto charger for manual chair/gurney	\$483.00
* BCDM12	___ B7904	Dual mode 12A Lester auto charger	\$230.00
* NBC	___ B7911	Credit for no battery charger	-\$86.25
<b>ACCESSORIES</b>			
* LP STA	___ B8001	Safety Illumination package w/ separate taillight assy	\$391.00
* LP TIBB	___ B8002	Safety Illumination package w/ taillights built into battery box cover	\$391.00
* LP NO TL	___ B8003	Safety Illumination package w/o taillights	\$322.00
* HF LP	___ B8006	Safety Illumination package for all H-Frames	\$345.00
* HL2	___ B8007	2nd headlamp	\$96.60
* HORN	___ B8021	24V Safety audio alert	\$287.50
* LB2	___ B8032	Electric leg bag emptier 2	\$632.50
* FAN	___ B8041	Fan with on-off control	\$287.50
* SSAI	___ B8045	Specialty switch accessory interface	\$575.00
* 24/12PC	___ B8046	24V to 12V power converter (5A maximum load)	\$575.00
* GURNEY DRAWER	___ B8071	Metal drawer w/ slides for gurney front	\$460.00
* GURNEY TRAY	___ B8072	Gurney metal storage tray	Call Factory
* GUR RB2	___ B8074	Gurney roller bumper wheels	\$172.50
* MIRROR	___ B8091	Rear view mirror	\$92.00
WL	___ B8101	Wheel locks on power chair/gurney	\$138.00
WL MAN NC	___ B8101N	Wheel locks on manual chair/gurney	<b>Standard</b>
WLE	___ B8105	Wheel lock extensions (pair)	\$57.50
<b>* SEAT POSITIONING STRAPS (Do not use as seat belts in vehicles)</b>			
PS FLIP LATCH S	___ B8201	60" flip latch seat mount positioning strap	\$57.50
PS PUSH BUTTON S	___ B8202	60" push button seat mount positioning strap	\$57.50
PS PINCH BUCKLE S	___ B8203	60" pinch buckle seat mount positioning strap	\$57.50
PS VELCRO S	___ B8204	60" velcro closure seat mount positioning strap	\$57.50
* PS CUS S	___ B8211	Custom seat mount positioning strap (specify buckle type and length)	\$115.00
<b>WARRANTIES AND SPECIAL SERVICE OPTIONS</b>			
<b>STANDARD WARRANTIES</b>			
* BP CF PGUR WAR	___ B9024	BOUNDER Plus conventional frame power gurney standard warranty	<b>Standard</b>
* BP CF MGUR WAR	___ B9025	BOUNDER Plus conventional frame manual gurney standard warranty	<b>Standard</b>
* BP HF PGUR WAR	___ B9026	BOUNDER Plus H-Frame power gurney standard warranty	<b>Standard</b>
<b>EXTENDED WARRANTIES</b>			
EL3 EWAR	___ B9102	Extend UE1 Series electronics warranty to 3 years	\$575.00
* BP PG3 EWAR	___ B9243	Extend BOUNDER Plus entire power gurney warranty to 3 years	\$1,150.00
* BP MG3 EWAR	___ B9252	Extend entire manual gurney warranty to 3 years	\$1,150.00
<b>SPECIAL SERVICE OPTIONS</b>			
* EBO	___ B9301	Emergency Build Order	Call Factory
* EEC	___ B9302	Engineering and evaluation charge	Call Factory

# BOUNDER Plus POWER & MANUAL GURNEYS

21st Century SCIENTIFIC, Inc. (800) 448-3680 (208) 667-8800 FAX (208) 667-6600

e-mail: 21st@wheelchairs.com www.wheelchairs.com

Stk# Note

## BASIC MODELS

### BOUNDER Plus

- B024 BPC PGUR W/ ELECT. BOUNDER PLUS CONVENTIONAL TUBE FRAME POWER GURNEY W/ UE1GT ELECTRONICS. 14"-36" MATTRESS PAN WIDTH. FOR USERS OVER 500 LBS, ORDER POWER 700 OR POWER 1000.
- B025 BPC MGUR. BOUNDER PLUS CONVENTIONAL TUBE FRAME MANUAL GURNEY. FOR USERS UP TO 500 LBS.. 14"-36" MATTRESS PAN WIDTH. FOR USERS OVER 500 LBS, ORDER MANUAL 1000.
- B026 BPH PGUR W/ ELECT. BOUNDER PLUS H-FRAME POWER GURNEY W/ UE1GT ELECTRONICS. 14"-36" MATTRESS PAN WIDTH. FOR USERS OVER 500 LBS, ORDER POWER 700 OR POWER 1000.

## CONSTRUCTION OPTIONS

### H-FRAME GURNEY BASE LENGTH

#### POWER FRAMES

- B204 PWR GURNEY RWD. POWER GURNEY (REAR WHEEL DRIVE). OVERALL WIDTH (OUTSIDE OF DRIVE WHEEL TO OUTSIDE OF DRIVE WHEEL) IS ABOUT 3 1/2" GREATER THAN THE MATTRESS PAN WIDTH.
- B207 POWER 700. INCREASE MAXIMUM USER WEIGHT OF POWER CHAIR/GURNEY TO 700 LBS. FOR 500 - 700 LBS USERS. AVAILABLE ONLY ON BIG BOUNDER POWER CHAIRS AND GURNEYS. UPGRADES CONVENTIONAL (TUBE FRAMES) TO 9"x3.50" METAL CASTER WHEELS & SUSPENSION FORKS. ADDS THICK 0.120" WALL TUBING (TWTFM), SOLID BACKPOSTS (SBP), CROSS STRUT BETWEEN BACKPOST HANDLE TIPS (CBPT), AND REINFORCED FRONT RIGGING (RFR) TO WHEELCHAIRS. UPGRADES H-FRAME TO WELDED ON SBP, CBPT, RFR, REINFORCED FRONT POSTS & SEAT MOUNTS. ADDS THICKER TUBING TO ALL WHEELCHAIRS AND GURNEYS. INCREASES WARRANTY TO COVER UP TO 700 LB. USER.
- B208 POWER 1000. INCREASE MAXIMUM USER WEIGHT OF POWER CHAIR/GURNEY TO 1000 LBS. INCLUDES POWER 700 FEATURES PLUS EXTRA FRAME/SEAT REINFORCEMENTS. ALSO INCLUDES REINFORCED ARM TIPS (RAT) AND SOLID BAR STOCK IN MANY FRAME MEMBERS. REQUIRES AND INCLUDES 9"x3.50" CASTER WHEELS AND SUSPENSION FORKS. INCREASES WARRANTY TO COVER UP TO 1000 LB. USER. AVAILABLE ONLY ON H-FRAME MODELS OF BIG BOUNDER POWER CHAIRS AND BOUNDER PLUS GURNEYS.

### MANUAL FRAMES

- B214 MAN GURNEY FWD. MANUAL GURNEY (FRONT WHEEL DRIVE). OVERALL WIDTH (OUTSIDE OF DRIVE WHEEL TO OUTSIDE OF DRIVE WHEEL) IS USUALLY ABOUT 5 1/2" GREATER THAN THE MATTRESS PAN WIDTH IF DRIVE WHEELS WITH HANDRIMS ARE ORDERED, AND ABOUT 3 1/2" GREATER THAN THE MATTRESS PAN WIDTH IF DRIVE WHEELS WITHOUT HANDRIMS ARE ORDERED.
- B217 MANUAL 1000. INCREASE MAX USER WEIGHT OF CONVENTIONAL FRAME MANUAL CHAIR/GURNEY TO 1000 LBS. FOR 500 - 1000 LBS USERS. AVAILABLE ON NON-FOLDING BIG BOUNDER MANUAL CHAIRS AND GURNEYS ONLY. ADDS REINFORCED FRONT RIGGING TO WHEELCHAIRS. ADDS THICKER TUBING & SOLID BACKPOSTS TO ALL WHEELCHAIRS AND GURNEYS. INCREASES WARRANTY TO COVER UP TO 1000 LB USER.

### 21st POWER SEATING SYSTEMS

#### GURNEY MATTRESS POSITIONING SYSTEMS

- B351 GPTS. GURNEY POWER TILT SYSTEM. TILTS FRONT OF ENTIRE MATTRESS PAN UP AND DOWN; CHANGES WEIGHT DISTRIBUTION AND BRINGS USER'S FACE AND ARMS UP TO AS FAR AS 5 OR 6 FEET ABOVE GROUND. HELPS TO REACH HIGH OBJECTS OR ADJUST TO DIFFERENT WORK SURFACE HEIGHTS. INCLUDES BI-DIRECTIONAL MOMENTARY TOGGLE SWITCH BOX CONTROL. MATTRESS OR CUSHION NOT INCLUDED.
- B352 GMCHTS. GURNEY MANUAL CHEST & HEAD TILT SYS. TILTS THE FRONT PORTION OF A SPECIALLY CONSTRUCTED FULL-LENGTH CUSHION PAN UP AT THE FRONT. THIS TILTS THE USER'S CHEST AND HEAD UP. CUSHION PAN IS FABRICATED ABOUT 8" NARROWER UNDER THE USER'S FACE AND CHEST TO ALLOW USER TO REST ARMS ON A SMALLER FIXED CUSHION BELOW. HAS 5 PRESET POSITIONS WITH MANUALLY ADJUSTABLE STOP. CUSHIONS NOT INCLUDED; ORDER CUSHIONS SEPARATELY.
- B353 GPCHTS. GURNEY POWER CHEST & HEAD TILT SYS. TILTS THE FRONT PORTION OF A SPECIALLY CONSTRUCTED FULL-LENGTH CUSHION PAN UP AT THE FRONT. THIS TILTS THE USER'S CHEST AND HEAD UP. CUSHION PAN IS FABRICATED ABOUT 8" NARROWER UNDER THE USER'S FACE AND CHEST TO ALLOW USER TO REST ARMS ON A SMALLER FIXED CUSHION BELOW. INCLUDES BIDIRECTIONAL MOMENTARY TOGGLE SWITCH BOX CONTROL. CUSHIONS NOT INCLUDED; ORDER CUSHIONS SEPARATELY.
- B354 GPBHTS. GURNEY POWER BACK & HEAD TILT SYSTEM. GURNEY MATTRESS PAN PIVOTS NEAR THE CENTER OF THE GURNEY. THE BACK OF THE GURNEY CAN BE TILTED UP TO RAISE THE PATIENT'S BACK AND HEAD. PRIMARILY DESIGNED FOR USERS WHO LAY ON THEIR BACK AND DRIVE OR FOR PATIENT TRANSPORT.
- B356 GPES. GURNEY POWER ELEVATE SYSTEM. STANDARD ELEVATION IS 13". OPTIONS AVAILABLE FOR UP TO 20" OF ELEVATION. CONTACT THE FACTORY FOR ADDITIONAL INFORMATION. PSS HD AND PSS XHD VERSIONS AVAILABLE.

### POWER SEATING OPTIONS, HEAVY DUTY UPGRADES & LOCKOUTS

- B371 PTS LO. POWER TILT SYSTEM DRIVE LOCKOUT. SPECIFY COMPLETE (STOP), SLOW, MEDIUM OR FAST SPEED DRIVE LOCKOUT.
- B373 PSE2 LO. POWER SEAT ELEVATOR DRIVE LOCKOUT. SPECIFY COMPLETE (STOP), SLOW, MEDIUM OR FAST SPEED DRIVE LOCKOUT.

Stk# Note

### FRAME COLOR

- B4021 CUS PC. CUSTOM POWDER COAT COLOR. SEND SAMPLE OF COLOR. WE WILL DO OUR BEST TO MATCH IT!

### FRAME REINFORCEMENTS

- B4105 TWTFM. THICK 0.120" WALL TUBING. INCLUDED AT NO CHARGE IN ALL POWER 700, POWER 1000 AND MANUAL 1000 CONSTRUCTION OPTIONS.
- B4121 GUR PHANDS. GURNEY PUSH HANDLES. FOR MANUALLY PUSHING OF GURNEY BY AN ATTENDANT
- B4122 OMIT RAIL MNTS. OMIT GURNEY RAIL MOUNTS (SPECIFY WHICH). OMIT LEFT, RIGHT, FRONT AND/OR REAR RAIL MOUNTS. SPECIFY WHICH MOUNTS TO OMIT.

### GURNEY MATTRESS PAN LENGTH (2" INCREMENTS)

#### GURNEY MATTRESS PAN WIDTH (1" INCREMENTS)

- B4754 GURNEY MWOW. MATTRESS PAN WIDENED OVER DRV WHLS. GURNEY MWOW ALLOWS THE MATTRESS PAN TO BE WIDENED OVER THE DRIVE WHEELS. USUALLY, THE OVERALL WIDTH FROM OUTSIDE OF DRIVE WHEEL TO OUTSIDE OF DRIVE WHEEL CAN BE MADE TO BE EQUAL TO THE MATTRESS PAN WIDTH. WITHOUT GURNEY MWOW, THE OVERALL WIDTH (OUTSIDE OF DRIVE WHEEL TO OUTSIDE OF DRIVE WHEEL) IS USUALLY ABOUT 5 " GREATER THAN THE MATTRESS PAN WIDTH IF A MANUAL GURNEY WITH DRIVE WHEELS WITH HANDRIMS IS ORDERED. IT IS ABOUT 3 " GREATER THAN THE MATTRESS PAN WIDTH IF A POWER GURNEY (OR MANUAL GURNEY WITH DRIVE WHEELS WITHOUT HANDRIMS) IS ORDERED. WITH GURNEY MWOW, OVERALL WIDTH CAN OFTEN BE REDUCED BY 3 " TO 5 ". SOME RESTRICTIONS APPLY. OFTEN, RAIL MOUNTS ARE ALSO OMITTED TO KEEP WIDTH NARROW. CONTACT THE FACTORY FOR ADDITIONAL INFORMATION.

### GURNEY MATTRESS PAN HEIGHT (1" INCREMENTS)

- B4762 CUS GMP HEIGHT. CUSTOM (18"-36") GURNEY MATTRESS PAN HEIGHT. ANY HEIGHT EXCEPT 24" IS CONSIDERED CUSTOM (I.E., 18" TO 23" AND 25" TO 36" MATTRESS PAN HEIGHTS ARE CUSTOM). FOR POWER GURNEYS, 18" AND 19" HIGH POSSIBLE WITH 16" DRIVE WHEELS; 22" IS LOWEST WITH 20" DRIVE WHEELS. FOR MANUAL GURNEYS, THE DRIVE WHEELS ARE TO THE SIDE OF THE MATTRESS PAN, SO ANY HEIGHT FROM 18" TO 36" IS POSSIBLE.

### GURNEY SIDE & END RAILS

- B5162 END RAIL. FRONT OR REAR RAIL, EACH. FRONT OR REAR RAIL, 3" SHORTER THAN MATTRESS PAN WIDTH, 11.5" HIGH, EACH
- B5172 RRT. REINFORCED RAIL TIPS, EACH RAIL. RAIL TIPS ARE SOLID STEEL INSTEAD OF TUBING

### GURNEY CUSHIONS

- B5381 STD GCUSHION. STANDARD 2" THICK FOAM GURNEY CUSHION. MEDIUM DENSITY FOAM.
- B5383 CGCS. CUSTOM GURNEY CUSHION SIZE (UP CHARGE). ANY SIZE OTHER THAN THE STANDARD 72" LONG CUSHION.
- B5385 SCULPTURED GC. SCULPTURED GURNEY CUSHION (UP CHARGE). CUSHION IS THINNER IN THE MIDDLE TO HELP KEEP USER IN PLACE.
- B5387 GCHC. GURNEY CUSHIONS FOR CHEST & HEAD TILT SYSTEMS. THREE PIECE CUSHION SET. THE UPPER FRONT CUSHION IS ABOUT 15" LONG AND ABOUT 8" NARROWER THAN THE REAR CUSHION SO THAT THE USER CAN PLACE HIS OR HER ELBOWS ON A LOWER FIXED CUSHION (ABOUT 15" LONG AND SAME WIDTH AS THE REAR CUSHION). ALL THREE CUSHIONS ARE NORMALLY FOAM ON TOP OF PLYWOOD COVERED WITH NAUGAHYDE. THE UPPER FRONT CUSHION IS HINGED TO THE REAR CUSHION.
- B5389 CUS GC FOAM. CUSTOM GURNEY CUSHION FOAM THICKNESS. CUSTOM GURNEY CUSHION FOAM THICKNESS (OTHER THAN 2" THICK OR MEDIUM DENSITY FOAM)
- B5391 SPEC GC FOAM. SPECIAL GURNEY CUSHION FOAM (T-FOAM, PUDGE, SUNMATE, ETC.) (FOR EACH 1/2" OF THICKNESS). SPECIAL GURNEY CUSHION FOAM CHARGE IS FOR EACH 1/2" THICKNESS OF T-FOAM, PUDGE, SUNMATE, ETC.

### UPHOLSTERY COLOR

IF FABRIC UPHOLSTERY IS ORDERED BLACK NAUGAHYDE CALF PADS AND/OR ARMREST PADS WILL BE SUPPLIED UNLESS CALF FLAT, CALF TROUGH, CALF CUSTOM, TROUGH ARP, FLAT ARP, NARROW FLAT ARP, OR CARP ARE ORDERED.

- B5411 BLACK SOFLEECE 3. SOFLEECE 3 FABRIC UPHOLSTERY (FOR USE ON CUSHIONS, SOLID SEATS & BACKS ONLY). BLACK NAUGAHYDE ARMREST AND/OR CALF PADS WILL BE SUPPLIED.
- B5421 CUS GUR UPH. CUSTOM GURNEY UPHOLSTERY COLOR. UP CHARGE APPLIES TO ALL CHAIRS, INCLUDING BOUNDER PLUS AND BIG BOUNDER. INDICATE COLOR; WE WILL ATTEMPT TO GET IT!

### CONTROL BOXES & REMOTE DISPLAY

- B6011 RD. REMOTE DISPLAY SEPARATE FROM JOYSTICK & SWITCHES. FOR USE WITH CHIN AND SPECIALTY CONTROLS, OR DRIVERS WITH IMPAIRED VISION. INCLUDES GOOSENECK MOUNT.
- B6012 CB KEY LOCK. ADD KEY SWITCH AT FRONT OF HAND CONTROL. INCLUDES 2 KEYS.
- B6039 CB JRP. JOYSTICK RETENTION PLATE. IDEAL FOR USERS WITH SPASTICITY OR ARE OTHERWISE HARD ON THEIR JOYSTICKS.
- B6041 CUS CB. CUSTOM HAND, FOOT, HEAD OR CHIN CONTROL. WE CAN FABRICATE MANY DIFFERENT TYPES OF CUSTOM HAND, FOOT, HEAD OR CHIN CONTROLS TO MEET YOUR SPECIFIC NEEDS. CONTACT THE FACTORY FOR MORE INFORMATION.

# BOUNDER Plus POWER & MANUAL GURNEYS

21st Century SCIENTIFIC, Inc. (800) 448-3680 (208) 667-8800 FAX (208) 667-6600

e-mail: 21st@wheelchairs.com www.wheelchairs.com

Stk#	Note
<b>HAND &amp; CHIN CONTROL MOUNTS &amp; EXTENSIONS</b>	
B6111	STD HC MOUNT. STANDARD HAND CONTROL MOUNT. STANDARD HAND CONTROL MOUNT IS NOW THE SAME AS THE OLD CLOSE IN MOUNT. NEW IMPROVED DESIGN.
B6115	SA EXT. SWINGAWAY HAND CONTROL EXTENSION SLIDE (E1028). VERY STURDY. SWINGS OUT TO SIDE AND BACK.
B6116	MIDLINE HC EXT. MIDLINE HAND CONTROL EXTENSION SLIDE. SWINGS UP TO SIDE. SPECIFY LEFT OR RIGHT MOUNT.
B6121	CC MOUNT. CHIN CONTROL MOUNT. MOUNTS ON BACKPOST TUBING ON EITHER SIDE. FULLY ADJUSTABLE WITH SWING TO SIDE FEATURE.
B6122	POWER CC MOUNT. POWER CHIN CONTROL MOUNT. INSTALL POWER CHIN CONTROL MOUNT INSTEAD OF STANDARD HAND CONTROL MOUNT. SPECIFY LEFT OR RIGHT MOUNT. ACTUATOR SWINGS CHIN CONTROL AND BOOM TO SIDE ABOUT 90 DEGREES WHEN CONTROL SWITCH IS OPERATED. BI-DIRECTIONAL MOMENTARY TOGGLE SWITCH CONTROL IS STANDARD. SWITCH CAN BE MOUNTED ANYWHERE CONVENIENT TO USER OR ATTENDANT. OTHER CUSTOM CONTROL SWITCHES AND METHODS OF CONTROL ARE POSSIBLE. LEFT AND RIGHT HAND MODELS AVAILABLE. CONTACT THE FACTORY FOR ADDITIONAL INFORMATION.
B6131	CC BIB MOUNT. CHIN CONTROL BIB MOUNT. SPECIFY HARD OR SOFT BIB COLAR. DOES NOT INCLUDE CHIN CUP.
B6172	CUS EXT SLIDE. CUSTOM EXTENSION SLIDE. CLOSE IN, STRAIGHT, CUSTOM HEIGHT, ETC. TELL US WHAT YOU NEED.

## DRIVE MODULES

### UE1GT PREMIUM 6-PROGRAM WHEELCHAIR ELECTRONICS & OPTIONS

B6298C UE1GT PS OVERRIDE. UE1GT POWER SEATING SYSTEM OVERRIDE SWITCH (SPECIFY SEATING SYSTEM). TYPICALLY THE OVERRIDE SWITCH IS PLACED AT THE REAR OF THE ARM SO THAT THE USER CAN CONTROL THE RECLINE OR TILT SYSTEM WHEN IT IS FULLY TILTED OR RECLINED. PREVENTS USER FROM GETTING STUCK IN THE FULLY TILTED OR RECLINED POSITION. INCLUDES SWITCH AND RELAY BOX. SPECIFY WHICH POWER SEATING SYSTEM TO CONTROL.

### DX PROGRAMMABLE ELECTRONICS

CONTACT FACTORY FOR AVAILABILITY AND PRICING.

**CALL FACTORY**

### ASL (ADAPTIVE SWITCH LABS) WHEELCHAIR CONTROL SYSTEMS

PG DRIVES PROGRAMMABLE ELECTRONICS

**CALL FACTORY**

**CALL FACTORY**

### DRIVE MODULE MOUNTS

#### RESPIRATOR & OXYGEN BOTTLE MOUNTS

B6801	RESP SHELF. FIXED POSITION RESPIRATOR SHELF. VERY STURDY SHEET METAL SHELF IS WELDED IN PLACE ON BACKPOST TUBING, USUALLY JUST BELOW PUSH HANDLES. APPROXIMATELY 20" WIDE X 10" DEEP. CUSTOM SIZES AVAILABLE. PUSH HANDLES SOMETIMES FLARED FOR CLEARANCE ON NARROW CHAIRS. CONTACT FACTORY FOR MORE INFORMATION.
B6803	RESP GIMBAL SHELF. GIMBAL MOUNTED RESPIRATOR SHELF. FOR CHAIRS WITH TILT AND RECLINE THAT REQUIRE THAT RESPIRATOR BE KEPT APPROXIMATELY LEVEL WITH GROUND.
B6811	RESP BBOX U1. SINGLE U1 BATTERY BOX MOUNTED ON SHELF (SPECIFY LOCATION; FOR RESPIRATORS). SHELF USUALLY LOCATED UNDER SEAT NEAR FRONT OF CHAIR. REMOVABLE U1 BATTERY BOX IS HELD ON TRAY WITH A STRAP. ALTERNATE LOCATIONS SUCH AS ON THE SHELF NEXT TO OR BELOW THE RESPIRATOR ARE ALSO AVAILABLE. CONTACT FACTORY FOR MORE INFORMATION.

### MOTORS & BRAKES

B7003N ST3M&B NC. BOUNDER PLUS & BIG BOUNDER SUPER TORQUE 3 MOTORS & BRAKES N/C. NO CHARGE ON BOUNDER PLUS AND BIG BOUNDER. ST3M&B ADD ADDITIONAL TORQUE, INCREASED SPEED AND GREATER RANGE COMPARED TO STD ST1M&B MOTORS. STRONGLY RECOMMENDED FOR USERS WHO OPERATE IN HILLS, ON ROUGH TERRAIN OR WHO WEIGH OVER 250 LBS. ST3M&B ARE REQUIRED FOR ALL CHAIRS USING SPECIALTY CONTROLS WITH DX ELECTRONICS (NOTE THAT THE SPEED OF THE CHAIR MUST BE LIMITED TO ABOUT 5 OR 6 MPH, AND OFTEN MUCH LESS). ST3M&B CAN ALSO BE USED WITH PROPORTIONALLY CONTROLLED (HAND OR CHIN CONTROLLED) DX ELECTRONICS, BUT THE SPEED OF THE CHAIR MUST BE LIMITED TO ABOUT 6 OR 7 MPH.

### DRIVE WHEEL OPTIONS

B7051	DW 20M. 20"x2.125" BLACK METAL DRIVE WHEELS. FOR USE ONLY ON CONVENTIONAL (TUBULAR) FRAME CHAIRS AND GURNEYS. AVAILABLE WITH 12" OR 14" DIAMETER PULLEYS AND SPROCKETS.
B7052	DW 16M. 16"x2.125" BLACK METAL DRIVE WHEELS. AVAILABLE WITH 11" AND 12" DIAMETER PULLEYS AND SPROCKETS. STANDARD ON BOUNDER C-FRAME CHAIRS. REQUIRED FOR SOME CHAIRS THAT HAVE SWOW OR SWOW NARROW FRAME TYPES. 16" REAR WHEELS WITH 11" REAR WHEEL PULLEYS PROVIDE ABOUT 10% MORE TORQUE THAN 20" REAR WHEELS WITH 12" REAR WHEEL PULLEYS, BUT THE TOP SPEED IS REDUCED BY ABOUT 10%. 16" REAR WHEELS WITH 12" REAR WHEEL PULLEYS HAVE ABOUT 20% MORE TORQUE THAN 20" REAR WHEELS WITH 12" PULLEYS, BUT THE TOP SPEED IS REDUCED BY ABOUT 17%.
B7054	DW 13M SMOOTH. 12.75"x4.00" METAL DRIVE WHEELS W/ SMOOTH TIRES. FOR H-FRAMES ONLY. TIRES SIZES CAN VARY, DEPENDING UPON TIRE SUPPLIED, BETWEEN 12.15"x4" AND 12.75"x4".
B7055	DW 13M KNOBBY. 12.75"x4.00" METAL DRIVE WHEELS W/ KNOBBY TIRES. FOR H-FRAMES ONLY. TIRES SIZES CAN VARY, DEPENDING UPON TIRE SUPPLIED, BETWEEN 12.15"x4" AND 12.75"x4".

Stk#	Note
B7062	DW 24PHR. 24"x1.75" METAL SPOKED DRIVE WHEELS W/ HANDRIMS. 24"x1.75" REAR WHEELS WITH HAND RIMS FOR USE WITH MC MANUAL CHAIRS ONLY. 500 LB MAX USER WEIGHT. NOT COMPATIBLE WITH MANUAL 1000 CONSTRUCTION OPTION.
B7063	DW 24PHRHD. 24"x2.125" METAL SPOKED DRIVE WHEELS W/ HANDRIMS. 24"x2.125" REAR WHEELS WITH HAND RIMS FOR USE WITH MC MANUAL CHAIRS ONLY. 1000 LB MAX USER WEIGHT. INCLUDED AT NO CHARGE WITH MANUAL 1000 CONSTRUCTION OPTION.

### DRIVE WHEEL TIRE & TUBE OPTIONS

#### V-BELT DRIVES

V-BELT DRIVE IS THE STANDARD DRIVE ON CONVENTIONAL (TUBE) POWER FRAMES. IT IS ECONOMICAL AND EASY TO MAINTAIN. FOR OPERATION IN RAIN AND SNOW, PANTHER DRIVE AND CHAIN DRIVE ARE RECOMMENDED. V-BELT DRIVE NOT AVAILABLE ON H-FRAMES.

B7102	FSV. FACTORY SELECT BEST V-BELT DRIVE. FACTORY SELECTS THE BEST V-BELT DRIVE CONFIGURATION BASED UPON THE CHAIR CONFIGURATION AND CUSTOMER DATA
B7111	V32. 3.20" OD MOTOR V-PULLEYS. FOR USE WITH ST3M&B
B7112	V30. 3.00" OD MOTOR V-PULLEYS. FOR USE WITH ST3M&B
B7113	V28. 2.80" OD MOTOR V-PULLEYS. FOR USE WITH ST3M&B
B7114	V25. 2.50" OD MOTOR V-PULLEYS. FOR USE WITH ST3M&B. USE WITH ST1M&B IS POSSIBLE IF USER WEIGHT IS 150 LBS OR LESS, AND NO POWER SEATING SYSTEMS ARE INSTALLED (OR USER WEIGHT IS UNDER 120 LBS AND ONE POWER SEATING SYSTEM IS INSTALLED).
B7115	V22. 2.20" OD MOTOR V-PULLEYS. FOR USE WITH ST1M&B OR ST3M&B
B7116	V20. 2.00" OD MOTOR V-PULLEYS. FOR USE WITH ST1M&B OR ST3M&B
B7133	V110. 11" DRIVE WHEEL V-PULLEYS. UNDERSIZED 11" PULLEYS ON 16" DRIVE WHEELS (GENERALLY NOT RECOMMENDED) PROVIDE ABOUT 10% MORE SPEED THAN 12" PULLEYS, BUT TORQUE IS REDUCED BY ABOUT 10%.
B7134	V120. 12" DRIVE WHEEL V-PULLEYS. 12" PULLEYS ARE STANDARD ON 16" DRIVE WHEELS. UNDERSIZED OPTION ON 20" DRIVE WHEELS. UNDERSIZED 12" PULLEYS ON 20" DRIVE WHEELS (GENERALLY NOT RECOMMENDED) PROVIDE ABOUT 17% MORE SPEED THAN 14" PULLEYS, BUT TORQUE IS REDUCED BY ABOUT 17%.

### CHAIN DRIVES (available on custom basis; contact factory for pricing)

CHAIN DRIVE INSTALLATION IS AVAILABLE ON A CUSTOM BASIS FOR USE ON H-FRAMES CHAIRS AS WELL AS CONVENTIONAL (TUBULAR) FRAME POWER CHAIRS AND GURNEYS WITH ST3M&B. THEY ARE LESS FREQUENTLY USED WITH ST1M&B. A FEW USERS PREFER CHAINS TO V-BELTS AND PANTHER DRIVES, BUT MOST FIND CHAINS ARE TOO NOISY. CONTACT FACTORY FOR AVAILABILITY.

### PANTHER DRIVES (Slower speeds can be programmed through the electronics)

B7351	PANTHER DRIVE. PANTHER DRIVE. PANTHER DRIVE INCLUDES ONE SET OF MOTOR AND ONE SET OF DRIVE WHEEL SPROCKETS. INCLUDED AT NO CHARGE ON ALL H-FRAMES.
B7373	P112. 112 TOOTH DRIVE WHEEL PANTHER SPROCKETS. 11.2" PD PANTHER SPROCKET FOR USE WITH 16" X 2.125" METAL DRIVE WHEELS
B7374	P144. 144 TOOTH DRIVE WHEEL PANTHER SPROCKETS. 14.4" PD PANTHER SPROCKET FOR USE WITH 20" X 2.125" METAL DRIVE WHEELS

### CASTER WHEEL & FORK OPTIONS

#### BOUNDER PLUS CONVENTIONAL TUBE FRAMES

#### BOUNDER PLUS H-FRAMES

#### CASTER TIRE & TUBE OPTIONS

#### BATTERY BOXES

B7702	BBOXD27 THIN. THIN DUAL GROUP 27 SLIDING BATT BOX. REQUIRED FOR MOST RECLINING BACK CHAIRS. THIN PATTERN BATTERY BOX HAS SLIDES MOUNTED ON SIDES OF BATTERY PAN INSTEAD OF UNDERNEATH IT. THIS SAVES ABOUT 1" IN VERTICAL HEIGHT, THEREBY GAINING 1" EXTRA GROUND CLEARANCE. TYPICAL GROUND CLEARANCE WITH THIN PROFILE BATTERY BOX IS 5" FOR STANDARD SEAT HEIGHT NON-RECLINING BACK CHAIR, AND ABOUT 3" FOR STANDARD SEAT HEIGHT RECLINING BACK CHAIRS.
B7713	BBOXD24. DUAL GROUP 24 SLIDING BATTERY BOX. REQUIRED FOR H-FRAMES USING THE NARROW 23.5" WIDE BASE AND SOME CHAIRS WITH SUSPENSION. NO CHARGE WHEN NARROW BASE OR SUSPENSION IS ORDERED. ALSO REQUIRED FOR 14" WIDE CONVENTIONAL FRAME CHAIRS
B7731	MPC BBOXDU1. MANUAL CHAIR OR GURNEY DUAL U1 BATTERY BOX. CAN ALSO BE INSTALLED ON MANUAL GURNEYS

### BATTERIES

#### BATTERY CHARGERS

LESTER DEEP CYCLE DUAL MODE CHARGERS CHARGE GEL-CELL AND CONVENTIONAL LEAD-ACID BATTERIES. USES INDUSTRY STANDARD XLR 3 PIN CONNECTOR. 8 AMP CHARGERS INCLUDE AN AMMETER. 12 AMP CHARGERS DO NOT HAVE AN AMMETER.

B7903 MC BCDM8. DUAL MODE 24V 8A AUTO CHARGER FOR MANUAL CHAIR/GURNEY. FOR USE ONLY ON MANUAL CHAIRS OR GURNEYS WITH POWER SEATING SYSTEMS.

# BOUNDER Plus POWER & MANUAL GURNEYS

21st Century SCIENTIFIC, Inc. (800) 448-3680 (208) 667-8800 FAX (208) 667-6600

e-mail: 21st@wheelchairs.com www.wheelchairs.com

Stk#	Note
B7904	BCDM12. DUAL MODE 12A LESTER AUTO CHARGER. TYPICALLY NEEDED ONLY BY USERS WHO CANNOT CHARGE AT LEAST 8 HOURS PER NIGHT. NOT FOR USE WITH DX OR PG DRIVES ELECTRONICS.

B7911	NBC. CREDIT FOR NO BATTERY CHARGER. CREDIT APPLIES TO POWER WHEELCHAIRS AND GURNEYS ONLY! CREDIT NOT AVAILABLE FOR MANUAL CHAIRS OR MANUAL GURNEYS.
-------	---

## ACCESSORIES

B8001	LP STA. SAFETY ILLUMINATION PACKAGE W/ SEPARATE TAILLIGHT ASSY. INCLUDES ONE 50W 5000 CP HEADLAMP, ONE TAILLIGHT ASSEMBLY, SWITCH, CABLES AND OWNER'S MANUAL. SPECIFY LEFT, RIGHT OR CENTER MOUNT, OR IT WILL BE MOUNTED IN THE CENTER. CURRENT DRAW: EACH HEADLAMP 1.75A @ 24V; TAILLIGHT 0.30A @ 24V; COMPLETE ONE HEADLAMP SYSTEM: 2.05A. TAILLIGHTS ARE BUILT INTO A SEPARATE TAILLIGHT CHASSIS INSTEAD OF THE BATTERY BOX COVER. KITS FOR CONTROL THIS LIGHTING PACKAGE BY AN ECU SYSTEM ARE AVAILABLE AT ADDITIONAL COST. CONTACT THE FACTORY FOR MORE INFORMATION.
-------	---

B8002	LP TIBB. SAFETY ILLUMINATION PACKAGE W/ TAILLIGHTS BUILT INTO BATTERY BOX COVER. FOR MOST NEW BOUNDER CHAIR. SAME AS LP EXCEPT THE TAILLIGHTS ARE BUILT INTO THE BATTERY BOX COVER INSTEAD OF A SEPARATE TAILLIGHT CHASSIS. KITS TO CONTROL THIS LIGHTING PACKAGE BY AN ECU SYSTEM ARE AVAILABLE AT ADDITIONAL COST. CONTACT THE FACTORY FOR MORE INFORMATION.
-------	--

B8003	LP NO TL. SAFETY ILLUMINATION PACKAGE W/O TAILLIGHTS. FOR USE WITH ALL H FRAMES (TAILLIGHT IS ALREADY INCLUDED) AS WELL AS CHAIRS WHERE NO TAILLIGHTS ARE DESIRED. SPECIFY LEFT, RIGHT OR CENTER HEADLAMP MOUNT, OR IT WILL BE MOUNTED IN THE CENTER. KITS FOR CONTROL THIS LIGHTING PACKAGE BY AN ECU SYSTEM ARE AVAILABLE AT ADDITIONAL COST. CONTACT THE FACTORY FOR MORE INFORMATION.
-------	---

B8006	HF LP. SAFETY ILLUMINATION PACKAGE FOR ALL H-FRAMES. INCLUDES HEADLAMP AND SWITCH.
-------	--

B8007	HL2. 2ND HEADLAMP. CURRENT DRAW FOR COMPLETE TWO HEADLAMP SYSTEM: 3.80A @ 24V.
-------	--

B8021	HORN. 24V SAFETY AUDIO ALERT. THIS 24V HORN IS LOUD! THE CONTROL SWITCH (HORN BUTTON) CAN BE MOUNTED ON THE WHEELCHAIR TUBING AT ANY CONVENIENT LOCATION. COMPATIBLE WITH MOST 24V POWER WHEELCHAIRS. ONE YEAR WARRANTY INCLUDED. TOGGLE SWITCH TYPE HORN BUTTON WILL BE SUPPLIED UNLESS YOU SPECIFICALLY REQUEST A PUSH-BUTTON SWITCH.
-------	---

B8032	L82. ELECTRIC LEG BAG EMPTIER 2. ELECTRIC LEG BAG EMPTIER 2 ALLOWS THE USER TO DRAIN HIS/HER LEG BAG WITHOUT ASSISTANCE. THIS ENCOURAGES INCREASED FLUID INTAKE, WHICH CAN REDUCE THE LIKELIHOOD OF URINARY TRACT INFECTION. THIS PACKAGE INCLUDES A 24V ELECTRIC PINCH VALVE WITH MANUAL RELEASE TAB THAT IS USUALLY STRAPPED AROUND THE USER'S ANKLE, THOUGH IT CAN BE MOUNTED ON A FOOTPLATE. A DRAIN TUBE EXTENSION THAT IS ATTACHED TO THE LEG BAG DRAIN TUBE IS PINCHED BY THE VALVE. THE L82 VALVE DOES NOT REQUIRE INTERNAL CLEANING. THE SYSTEM INCLUDES A MOMENTARY TOGGLE SWITCH THAT CAN BE MOUNTED ANYWHERE ON THE WHEELCHAIR TUBING, AND A FUSED BATTERY CABLE. THE SWITCH AND VALVE INCLUDE QUICK DISCONNECT ANDERSON CONNECTORS SO THAT THE WHEELCHAIR FRONT RIGGING AND ARMS CAN BE REMOVED FOR TRANSFER AFTER THE SYSTEM IS INSTALLED. THE LEG BAG DRAIN TUBE EASILY THREADS THROUGH THE PINCH VALVE. LEG BAG AND FRONT RIGGING ARE NOT INCLUDED. KITS FOR CONTROLLING ELECTRIC LEG BAG EMPTIERS BY AN ECU SYSTEM ARE AVAILABLE AT ADDITIONAL COST. PRICE INCLUDES 6 MONTH WARRANTY. CONTACT THE FACTORY FOR MORE INFORMATION.
-------	--

B8041	FAN. FAN WITH ON-OFF CONTROL. THE PERSONAL FAN CAN BE USED WITH MOST POWER WHEELCHAIRS AND GURNEYS. QUIET TWO SPEED FAN PROVIDES A GENTLY COOLING 45 CFM FLOW (ON HIGH). MOUNTS ON FRONT LOWER ARM OF WHEELCHAIR OR WHEREVER CONVENIENT FOR THE USER. THE KIT INCLUDES A FUSED POWER CABLE AND A TOGGLE SWITCH THAT CLAMPS ON ROUND TUBING. CURRENT DRAW: 0.11A @ 24V IN HIGH. 38.1 DBA. THE FAN SPEED IS ADJUSTABLE BY MEANS OF A HI-OFF-LO TOGGLE SWITCH. GREAT FOR THOSE HOT SUMMER DAYS; A MEDICAL NECESSITY IF VASO-CONSTRICTION AND VASO-DILATION OF YOUR PERIPHERAL VASCULAR SYSTEM IS COMPROMISED.
-------	--

B8045	SSAI. SPECIALTY SWITCH ACCESSORY INTERFACE. THIS ITEM ALLOWS A LOW-CURRENT SPECIALTY SWITCH TO BE PLUGGED INTO AN 1/8" PHONO PLUG TO OPERATE AN ACCESSORY (E.G., LIGHTS, HORN ETC.) SWITCH NOT INCLUDED. MOST NORMALLY OPEN MOMENTARY SWITCHES CAN BE USED WITH THIS SYSTEM.
-------	--

B8046	24/12PC. 24V TO 12V POWER CONVERTER (5A MAXIMUM LOAD). CONVERTS 24 VOLTS TO 12 VOLTS, PROVIDING UP TO 5 AMPS OF POWER. THIS ALLOWS SOME 12 VOLT ACCESSORIES TO BE INSTALLED ON THE WHEELCHAIR.
-------	--

B8071	GURNEY DRAWER. METAL DRAWER W/ SLIDES FOR GURNEY FRONT. POWDER COATED BLACK.
-------	--

B8072	GURNEY TRAY. GURNEY METAL STORAGE TRAY. TYPICALLY SAME WIDTH AS MATTRESS PAN X 12" DEEP X 3" HIGH. POWDER COATED BLACK. BOLTS TO FRAME APPROXIMATELY UNDER CHEST OF USER.
-------	---

B8074	GUR RB2. GURNEY ROLLER BUMPER WHEELS. FOUR 76MM SKATE WHEEL ASSEMBLIES, ONE ATTACHED BELOW EACH MATTRESS PAN CORNER.
-------	--

B8091	MIRROR. REAR VIEW MIRROR. THIS DETACHABLE REAR VIEW MIRROR HAS A WIDE ANGLE CONVEX HEAD THAT ALLOWS USERS TO SEE TO THE REAR WITHOUT TURNING THEIR HEAD. IT INCREASES SAFETY IN TRAFFIC AND IS ALSO HANDY WHEN BACKING INTO OR OUT OF ELEVATORS. THE MIRROR COMES WITH MOUNTING BRACKET, TELESCOPING SUPPORT MAST AND A QUICK DETACH BRACKET.
-------	---

## SEAT POSITIONING STRAPS (Do not use as seat belts in vehicles)

CAUTION! DO NOT USE AS SEAT BELTS OR RESTRAINTS IN LICENSED VEHICLES. POSITIONING STRAPS ARE TO BE

Stk#	Note
	USED ONLY FOR HOLDING USER IN POSITION WHILE DRIVING THE WHEELCHAIR. FOR WHEELCHAIRS, INDICATE WHETHER LAP OR CHEST MOUNT. FOR GURNEYS, INDICATE DISTANCE TO MOUNT STRAPS FROM FRONT OR REAR OF MATTRESS PAN, LENGTH OF STRAP, AND WHAT PART OF BODY STRAP IS TO GO AROUND.
B8211	PS CUS S. CUSTOM SEAT MOUNT POSITIONING STRAP (SPECIFY BUCKLE TYPE AND LENGTH). REQUIRED FOR ANY POSITIONING STRAP THAT IS NOT 60" LONG. SPECIFY BUCKLE TYPE AND LENGTH.

## WARRANTIES AND SPECIAL SERVICE OPTIONS

### STANDARD WARRANTIES

B9024	BP CF PGUR WAR. BOUNDER PLUS CONVENTIONAL FRAME POWER GURNEY STANDARD WARRANTY. TWO YEAR WARRANTY ON ENTIRE BOUNDER PLUS POWER GURNEY. FIVE YEAR STANDARD (TUBULAR) FRAME WARRANTY. FIVE YEAR SUPER TORQUE 3 MOTOR AND BRAKE DRIVE TRAIN WARRANTY (INCLUDES MOTORS, BRAKES, DRIVE WHEELS AND DRIVE WHEEL PULLEYS/SPROCKETS, BUT EXCLUDES DRIVE BELTS, TIRES, MOTOR PULLEYS/SPROCKETS, INNER TUBES AND BEARINGS). THIS IS A LIMITED WARRANTY AND SOME RESTRICTIONS APPLY.
-------	--

B9025	BP CF MGUR WAR. BOUNDER PLUS CONVENTIONAL FRAME MANUAL GURNEY STANDARD WARRANTY. TWO YEAR WARRANTY ON ENTIRE BOUNDER PLUS MANUAL GURNEY. FIVE YEAR STANDARD (TUBULAR) FRAME WARRANTY.
-------	---

B9026	BP HF PGUR WAR. BOUNDER PLUS H-FRAME POWER GURNEY STANDARD WARRANTY. TWO YEAR WARRANTY ON ENTIRE BOUNDER PLUS H-FRAME POWER GURNEY. TEN YEAR H-FRAME BASE WARRANTY. FIVE YEAR TUBULAR FRAME WARRANTY. FIVE YEAR SUPER TORQUE 3 MOTOR AND BRAKE DRIVE TRAIN WARRANTY (INCLUDES MOTORS, BRAKES, DRIVE WHEELS AND DRIVE WHEEL PULLEYS/SPROCKETS, BUT EXCLUDES DRIVE BELTS, TIRES, MOTOR PULLEYS/SPROCKETS, INNER TUBES AND BEARINGS). THIS IS A LIMITED WARRANTY AND SOME RESTRICTIONS APPLY.
-------	--

### EXTENDED WARRANTIES

B9243	BP PG3 EWAR. EXTEND BOUNDER PLUS ENTIRE POWER GURNEY WARRANTY TO 3 YEARS. EXTEND BOUNDER PLUS ENTIRE POWER GURNEY WARRANTY TO 3 YEARS.
-------	--

B9252	BP MG3 EWAR. EXTEND ENTIRE MANUAL GURNEY WARRANTY TO 3 YEARS. EXTEND MANUAL GURNEY WARRANTY TO 3 YEARS.
-------	---

### SPECIAL SERVICE OPTIONS

B9301	EBO. EMERGENCY BUILD ORDER. BUILD AND SHIP CHAIR AS FAST AS POSSIBLE. CONTACT FACTORY FOR DELIVERY AND UP CHARGE.
-------	---

B9302	EBC. ENGINEERING AND EVALUATION CHARGE. CHARGE FOR ENGINEERING AND EVALUATING VERY INVOLVED CUSTOM CHAIRS. CONTACT FACTORY FOR PRICING.
-------	---